

# MANUFACTURING FOR TOMORROW





## About Us

ALIF is a Middle East manufacturer and supplier of premium quality products. Our mission is to consistently deliver high-quality products meeting or exceeding customer's needs as well as industry standards. ALIF is part of AIMS Industrial, the industrial arm of AIMS Holding, a Saudi group with a diversified portfolio - AIMS Investment, AIMS Real Estate, AIMS Hospitality and AIMS Industrial.



The journey started in Dammam, Saudi Arabia back in 1999 as "United Building Materials Factory"



Our goal is to take care of our customer needs every day. We reach our goal by being the safest, most productive and most reliable manufacturer; delivering the best value and quality product on the market.

We started as “United Building Materials Factory” in 1999 in Dammam, Saudi Arabia to cater to the booming construction sector for manufacturing nails, rivets and expanded metal products. In 2017, under the aegis of AIMS Industrial, we invested in a green field energy efficient state of art manufacturing facility in Jeddah, Saudi Arabia and our new facility is known as ALIF (AIMS Leading Industrial Factory).

The world of ALIF is one without boundaries - growing, changing and challenging, a world that embraces different skills, continuous innovation, sustainable growth and a better quality of life.

We touch the lives of millions of people across the world every day with the products that we produce. It is highly likely ALIF has affected your life today, though you not know it. From the electricity you consume, to the house you live in; from the boardwalk you tread, to the hand tools that you use; we strive to deliver unparalleled quality through our customized value-added solutions to make your life easier. This is made possible by our commitment to a culture of continuous improvement, through which we drive operational excellence in processes, products and people.

ALIF is a Middle East manufacturer and supplier of premium quality products for a broad range of industrial/OEM, commercial, and residential construction applications. Our mission is to consistently deliver high-quality products meeting or exceeding customer’s needs as well as industry standards and applicable codes. With our team of dedicated employees, value-added partners and loyal customers we continue to grow and thrive.

Building upon success, we plan to continue investing in technology and capability to meet to the needs of our customers.

Customization is at the core of our product development and our technological excellence ensures the best in class offerings for valued customers. The company’s continuous growth and enhanced capabilities stands as a testimonial to our drive for excellence.

Alongside contributing to Saudi Arabia’s growth story, the company is driving an ambitious global plan with its sights set on emerging as a leading manufacturer in the industry. The company continues to capitalize on opportunities in high growth markets, expanding its core areas and diversifying into new product lines.

Our goal is to take care of our customer needs every day. We reach our goal by being the safest, most productive and competitive; delivering the best value in the market.



# Our Values



## Commitment to Quality

At ALIF, manufacturing is a passion. We take pride in the superior quality of our products. We maintain our quality management system according to ISO 9001:2015 standards. The products we offer to our customers pass through stringent quality tests during the manufacturing process to ensure adherence to top industry benchmarks.




We maintain our quality management system according to ISO 9001:2015 standards.

# Global Reach

We are strongly driven by customer centricity, and have, over the years, formed strategic partnerships that have reinforced our role as a preferred partner in international business. The company's export portfolio is growing by the day with an existing footprint in more than 10 countries...and the numbers are growing.

# 50+

**Satisfied Customers**



# 10

**Countries**





# Health & Safety Standards

At ALIF, we firmly believe the health and welfare of our people, the community and society are intrinsic to our approach in the business. We have developed safety leadership capability from senior leaders to front-line supervisors. We consistently work to develop the competency and capability of all employees to proactively identify hazards and manage risks. Our employees undergo thorough health and safety training. We also regularly conduct on the job training, auditing, and safety campaigns. We have ISO 45001:2018 certification for health and safety management system.

We consistently work to develop the competency and capability of all employees to proactively identify hazards and manage risks to prevent safety incidents.



# Sustainability Goals

Sustainability is an integral part of our business and is driven by the company's leadership, supported by an organization-wide governance structure. The performance related to various sustainability aspects is reviewed at the senior leadership as well as the board level. Our manufacturing operations has implemented environmental management system ISO 14001:2015. At ALIF, we believe responsible environmental performance is an inherent element of our business strategy and these practices help us to achieve a leadership position in the industry. At every stage, energy is conserved, the environment is preserved, and every shred of waste is recycled. We constantly organize recycling programs and include sustainable solutions in our processes. We strive to improve our performance by adhering to the international standards of environmental and social responsibility.



# Culture at ALIF


We strongly believe that our people are our greatest asset. ALIF is steered by a team of experienced individuals with strong credentials. We thrive in a culture of respect and diversity. We have made a conscious effort to build an equitable environment and a diverse leadership team. Our teams have a healthy mix of culture, ethnicity and a myriad of other aspects. We ensure our employees enjoy a healthy and balanced lifestyle, allowing them to be active and engaged members of society.





# Manufactured Products

## Collated and Bulk Pallet Nails



Product	15°Wire Coil Nail Hi-Load & Regular	15°Wire Coil Nail Roofing	21°Plastic Strip Nail	Bulk MQ Pallet Nail	Bulk Common Nail 3d - 20d	Bulk Box Nail 4d - 40d	Bulk Sinker Nail 8d - 16d	Bulk Duplex Nail 6d - 20d
Standards	ASTM F1667	ASTM F1667	ASTM F1667	ASTM F1667	ASTM F1667	ASTM F1667	ASTM F1667	ASTM F1667
Diameter	0.083" - 0.148"	0.120" - 0.145"	0.113" - 0.131"	0.113" - 0.131"	0.080" - 0.192"	0.080" - 0.162"	0.080" - 0.148"	0.113" - 0.192"
Length	1-1/4" - 4.00"	1-1/4" - 2-1/2"	2.00" - 3-1/2"	1-1/2" - 3.00"	1-1/4" - 4.00"	1-1/2" - 5.00"	1-3/8" - 3-1/4"	1-3/4" - 3-1/2"
Coating Type	Bright / EG / PG / HD	Bright / EG / PG / HD	Bright / EG / PG / HD	Bright / EG	Bright / EG	Bright / EG	Vinyl Coated	Bright / EG
Shank Type	Smooth / Screw / Ring	Smooth	Smooth / Screw / Ring	Screw / Ring	Smooth	Smooth	Smooth	Smooth
Point Type	Diamond / Blunt Diamond / Chisel	Diamond	Diamond	Diamond / Blunt Diamond / Shear	Diamond	Diamond	Diamond	Diamond

The engineering properties of nails are evaluated by the following test methods:

Bending Yield Moment - ASTM F1575

Withdrawal Strength - ASTM D1761.

Impact Bend Angle - ASTM F680

Hardness - ASTM E18

Tensile Strength - ASTM A370

# Manufacturing is our passion

## Spring Wire



Product		Tie Wire	Spring Wire	Border Wire
Standard		DIN 17223 GrA	DIN 17223 GrA	DIN 17223 GrA
Size	Diameter mm	1.30 -1.40	1.80-2.40	3.00-4.80
Chemical Composition	C %	0.45-0.50	0.70-0.74	0.80-0.84
	Mn %	0.60-0.90	0.60-0.90	0.60-0.90
	Si %	0.15-0.35	0.15-0.35	0.15-0.35
	P %	0.030 Max	0.030 Max	0.030 Max
	S %	0.030 Max	0.030 Max	0.030 Max
Mechanical Properties	Tensile Strength N/mm <sup>2</sup>	1650-1850	1600-1750	1300-1500
	Torsion (L=100D) Number of Turns	25 Min	22 Min	16 Min
	Reduction Area %	40 Min	40 Min	35 Min



## Bonnel Spring

Product	Bonnel Spring	
Standard	DIN 17223-GrA	
Wire	Diameter mm	2.20- 2.40
Physical Dimensions	Length mmm	140 -160
	OD mm	84-92
Chemical Composition	C %	0.70-0.74
	Mn %	0.60-0.90
	Si %	0.15-0.35
	P %	0.030 Max
	S %	0.030 Max
Mechanical Properties	Tensile Strength N/mm <sup>2</sup>	1600-1750
	Torsion (L=100D) Number of Turns	22 Min
	Reduction Area %	40 Min



## Galvanised Tie Wire and Black Annealed Wire

Product	Tie Wire	
Standard	ASTM A641	
Size	Diameter mm	0.7 to 3.05
Chemical Composition	C %	0.08 Max
	Mn %	0.30-0.60
	Si %	0.15-0.35
	P %	0.03 Max
	S %	0.03 Max
Mechanical Properties	Tensile Strength N/mm <sup>2</sup>	515 Max
	Elongation GL=250mm	10 Min
	Zinc Coating Thickness µm	5 - 20



## Expanded Metal Mesh



Product		Brick Lath	Angle Bead	Plaster Stop
Standard		ASTM A653 & ASTM C847	ASTM A653 & ASTM C847	ASTM A653 & ASTM C847
Size	Width mm	100-300	50-75	10-19
	Length m	10 - 50	Up to 3	Up to 3
Chemical Composition	C %	0.10 Max	0.10 Max	0.10 Max
	Mn %	0.50 Max	0.50 Max	0.50 Max
	Si %	0.02 Max	0.02 Max	0.02 Max
	P %	0.025 Max	0.025 Max	0.025 Max
	S %	0.025 Max	0.025 Max	0.025 Max
Mechanical Properties	Tensile Strength N/mm <sup>2</sup>	270 Min	270 Min	270 Min
	Elongation GL=50mm	20 Min	20 Min	20 Min
	Zinc Coating Thickness g/mm <sup>2</sup>	120 Min	120 Min	120 Min



## Bus Bar and Copper Rod

Product		Copper Flat Bar -Bare	Copper Flat Bar -Tin Coated	Copper Pancake Coils	Copper Rod	Aluminium Flat Bar
Standard		ASTM B187	ASTM B187 & B545	ASTM B187	ASTM B49	ASTM B236
Physical Dimensions	Width mm	10 to 160	10 to 160	10 to 50	Ø8-36 mm	10 to 120
	Thickness mm	3 to 15	3 to 15	3 to 8	-	3 to 25
	Length m	Up to 6M	Up to 6M	Up to 200 M	-	Up to 6M
Chemical Composition	%	Cu-99.99 Min	Cu-99.99 Min	Cu-99.99 Min	Cu-99.99 Min	Al -99.90 Min
Electrical Conductivity	% IACS	100 Min	100 Min	100 Min	101 Min	61 Min
Mechanical Properties	Tensile Strength N/mm <sup>2</sup>	260-345	260-345	260-345	200 Min	60 Min
	Elongation GL=50mm %	10 Min	10 Min	10 Min	30 Min	-
	Tin Coating Thickness µm	-	5 Min	-	-	-



# Trading Products

The Trading Division of ALIF represents the following products:

## 3M – Corrosion Protection Products



- ✓ Pipeline FBE coatings - Aramco approved
- ✓ Pipeline FBE repair kits - Aramco approved in 102, 104 class
- ✓ Chemical resistant coating for tanks, vessels, etc.
- ✓ Pipeline liquid applied coating - Aramco approved in 102 class
- ✓ Building maintenance & protection products

## ThistleBond - Unique Polymer System

- ✓ Marine – repair and protection product
- ✓ Pipe wrap system
- ✓ Marine lifeboat repair kits
- ✓ Coatings polymer
- ✓ Poly urea Lining
- ✓ Pipe wrap services & contracting

The ThistleBond logo is a dark green oval with a white border. Inside the oval, the word "ThistleBond" is written in a white, bold, serif font.

## Thortex – Repair & Protection Technology

- ✓ Polymer metal engineering repairs
- ✓ Polymer ceramic rebuild & resurfacing system for fluid carrying equipment
- ✓ Elastomeric repairs, rubber lining
- ✓ Chemical protection for aggressive industrial chemicals
- ✓ Corrosion protection for industrial equipment's
- ✓ Services & contracting for lining & coatings
- ✓ Waterproofing and fiber insulation services



## Dewatering Pumps



- ✓ Sale of 4" – 12" dewatering pump driven with Duetz German diesel engine or motor
- ✓ Sale of drilling machines of lower capacities
- ✓ Sale of dewatering submersible pumps
- ✓ Sale of dewatering accessories Miller and other types
- ✓ Shoring and sheet piling accessories
- ✓ Rental and service contract for dewatering and drilling

## Contact Us

03<sup>rd</sup> Industrial City  
P.O. Box: 100821  
Jeddah - 21311, Saudi Arabia

Phone: +966-920008366  
Email: [info@alif.sa](mailto:info@alif.sa)  
[www.alif.sa](http://www.alif.sa)

